


AVATAR™

OTG

OVER THE GLASS SAFETY EYEWEAR



Honeywell
UVEX®

AN INNOVATION IN COMFORT AND PROTECTION IN THE OTG MARKET


UVEX AVATAR™ OTG has a stylish ultra-light design and incorporates numerous adjustability innovations, making it one of the most comfortable protective eyewear on the market.



UVEX AVATAR™ OTG FEATURES

- Anti-Scratch Protection – **01**
- Anti-Reflective Coating (Available) – **02**
- Ratchet Temples – **03**
- Flexible Temples – **04**
- Wire Core Temples – **05**
- Ergonomically Designed Arms – **06**
- Flexible Nose Piece – **07**
- Adjustable Nose Piece – **08**
- Soft Brow Frame **MMT+** – **09**
- Soft Temples **MMT+** – **10**
- Soft Nose Pads **MMT+** – **11**
- Patented Indirect Venting Technology – **12**

* **MMT+**: Multi-Material Technology® Plus



WEIGHT DISTRIBUTION AND STABILITY

Unlike most OTGs, weight is dispersed throughout the brow and the nose piece.



06

AVATAR ULTRA-ADJUSTABLE NOSE PIECE*

Multi-material nose piece offers 3 vertical positions and flexes to most nose sizes to provide the ultimate comfort and fit.




07

* Patent-pending technology

ANGLE-ADJUSTABLE RATCHET TEMPLES

Up to a 15-degree adjustment range for a better fit.



FLEXIBLE TEMPLES MMT+

Flex system design delivers superior comfort and fit.




INSULATED WIRE-CORE TEMPLES

Increased adjustability, customizability and non-conductivity.



PATENTED INDIRECT VENTING TECHNOLOGY*

Advanced technology that significantly reduces fogging.



* Patent-granted technology

ANTI-SCRATCH PROTECTION

Excellent scratch resistant hardcoat coating.


ANTI-REFLECTIVE COATING (AVAILABLE)

Improves optical clarity and reduces eye strain from distracting reflections and glare.



MULTI-MATERIAL TECHNOLOGY® PLUS (MMT+)

Innovative rubber compound provides exceptional grip and comfort.





ATTRIBUTE DATA (IMPERIAL AND METRIC MEASUREMENTS)

| | |
|--|--|
| Lens overall width | 155 mm |
| Lens material | Polycarbonate |
| Lens coating | Hardcoat and Anti-Reflective |
| Lens thickness | 1.90 mm |
| Lens tints | Clear, Gray |
| Lens base curve | 2.75 Base |
| Repl. lenses or foam frame available | No |
| Rx capable | No |
| Temple material | Composite of PC and TPE |
| Temple length | 4.92 (12.5 cm) |
| Temple style | Wire-core bayonet style temples |
| Frame material | PC/TPU |
| Frame colors | Black & Red, Black & Black, Black & Blue |
| Side shield material | N/A |
| Dielectric | Yes |
| Packaging (Spectacle/Goggle) | Ind. Box, 10 / Stocker, 200 / Case |
| Unit weight (Spectacle/Goggle) | 0.10 lbs (46.6 g) |
| Ind. box-bag dimensions (Spectacle/Goggle) | 8.6251" x 3.75" x 2.125" (16.8 x 7 x 5.5 cm) |
| Ind. box-bag weight (Spectacle/Goggle) | 0.14 lbs (67 g) |

ATTRIBUTE DATA (IMPERIAL AND METRIC MEASUREMENTS)

| | |
|---|---|
| Stocker dimensions (Spectacle/Goggle) | 5.625" x 6.825" x 11.125" (14.3 x 17.5 x 28.5 cm) |
| Stocker weight (Spectacle/Goggle) | 1.70 lbs (0.77 kg) |
| Master Case dimensions (Spectacle/Goggle) | 29.125" x 14.625" x 23.125" (74 x 37 x 59 cm) |
| Master Case weight (Spectacle/Goggle) | 36.7 lbs (16.7 kg) |
| Packaging (Repl. lens) | N/A |
| Unit weight (Repl. lens) | N/A |
| Ind. box-bag dimensions (Repl. lens) | N/A |
| Ind. box-bag weight (Repl. lens) | N/A |
| Stocker dimensions (Repl. lens) | N/A |
| Stocker weight (Repl. lens) | N/A |
| Case dimensions (Repl. lens) | N/A |
| Case weight (Repl. lens) | N/A |
| Standards passed | ANSI Z87.1, Z94.3., High Speed Particle |
| Chemical splash protection | No |
| Dust / Airborne particle protection | No |
| Country of origin | Taiwan |
| MSDS requirement | No |
| WHMIS requirement | No |
| Harmonization code | 9004.90.0000 (Eyewear) |

Learn more today at uvex.us/avatarotg



10 Thurber Boulevard, Smithfield, RI 02917
800-430-5490 (US) 888-212-7233 (Canada) 800-446-1495 (Mexico)

www.uvex.us