

### KING'S SAFETY FOOTWEAR RANGE

#### **ABOUT KING'S**

King's is a leading footwear brand under Honeywell Personal Protective Equipment portfolio (part of Honeywell Safety and Productivity Solutions). Our core mission is to provide comfortable, durable and quality safety footwear for a wide array of working environments.

The King's range is designed for superior comfort, durability, and most important, safety.

#### **FOOTWEAR FEATURES**

#### Sole Features



Pierce-resistant steel midsole reduces the risk of sharp objects penetrating the sole and entering the foot.

Puncture Resistant

Minimizes the build up of electrostatic charges and provides protection against the risk of spark ignition for such hazards as flammable materials and gases.



Anti-Static

Slip Resistant

Cleated design sole provides ultimate anti-slip feature that enhances grip for better stability. SRC tested on ceramic tiles with diluted soap



Self-Cleaning Sole

Improved technical outsole optimises fluid evacuation and provides greater bending flexibility.

solution (SRA) and smooth steel floor with

glycerol (SRB).



Heat Resistant Up to 120° C



Mineral Oils Resistant



Organic Oils & Fats Resistant

#### **Comfort Features**



Wide Profile Toecap

King's signature wide profile safety toecap offers maximum comfort to your toes.



Breathable Lining

Highly breathable 3-D lining reduces abrasion when in contact with skin, allowing your feet to remain insulated while drawing excess moisture from the foot.



Comfort Footbed Enhanced footbed for greater comfort and heel support, with highly breathable perforated channels that dries up faster and promotes foot freshness.



Impact Absorption Ergonomic cushioning design to provide ultimate comfort that greatly reduces foot, leg and back fatigue when walking on hard surfaces.



Light Weight

Superior light weight design to provide you greater comfort for long hours of wear.

#### Toecap Feature



Offers protection against falling objects or compression. Developed to withstand an impact of 200 joules.

Steel or Composit Safety Toecap


#### **Special Features**



Electrical resistance (0.1-100 MΩ)



Wear-off Indicator



Wear-off indicator provides



Water Resistant



Toe Bumper



Non-Metalic perforation-resistant insert



Heel Guard

### **COMFORT RANGE**

#### SINGLE / DUAL DENSITY POLYURETHANE FOOTWEAR



### KING'S TECHNOLOGY

#### **KING'S 5-TOE TECHNOLOGY**

The King's wide profile toecap provides extra comfort for your forefoot and toes, and more room for movement. In turn, it allows your toes to splay easily and offers a sense of balance and greater stability.



King's 5-Toe Cap



Conventional Cap

#### **INSOLE TECHNOLOGY**

King's Comfort Footbed features superior shock absorption technology that provides enhanced cushioning for greater comfort to your foot and maximum support to your heel.





# **SOLE TECHNOLOGY**

#### KING'S COMFORT RANGE



The outsoles of King's Comfort Range are designed based on walking biomechanics to provide ultimate stability and anti-slip protection on every step you take. These are enhanced through three walking phases - Impact, Stability and Propulsion.





### **COMFORT RANGE SERIES**

#### **KWS200-S1P**

Low-cut Lace Safety Shoe

Size
3 – 13
Colour:

Black



- Gusseted tongue provides extra comfort and minimises water and debris penetration into the shoes.
- Single density polyurethane (PU) sole.
- Padded ankle collar for comfort and support, and to prevent chafing.
- Recommended for: Mining, Manufacturing, General Industry, Utilities, Transportation & Logistics.
- Also available: Without steel midsole with style KWS200X.

#### **KWD207-S1P**

Slip-on Safety Shoe

Size
3 – 13
Colour:
Black



- Low-cut slip on safety shoe that comes with elastic gussets for easy donning and doffing.
- Padded ankle collar for comfort and support, and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Recommended for: Mining, Manufacturing, General Industry, Utilities, Transportation & Logistics.
- Also available: Without steel midsole with style KWD207X.

#### KWD301-S1P

#### Mid-cut Lace Safety Boot

Size
3 – 13
Colour:

Black

Brown



- Gusseted tongue provides extra comfort and minimises water and debris penetration into the shoes.
- Dual density (KWD301) polyurethane (PU) sole options are available.
- Padded ankle collar for comfort and support, and to prevent chafing.
- Reflective insert provides increased visibility in poor lighting conditions.
- Recommended for: Construction, Mining, Manufacturing, General Industry, Utilities, Transportation & Logistics
- Also available: Without steel midsole with style KWD301X

#### KWD106-S1P

#### Chelsea Safety Boot

Size
3 – 13
Colour:





- Elastic sided with back pull up strap for easy donning and doffing.
- Padded ankle collar for comfort and support, and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Recommended for: Mining, Manufacturing, General Industry, Utilities, Transportation & Logistics.
- Also available: Without steel midsole with style KWD106X.

#### KWD206-S1P

#### Zipper Safety Boot

Size **3 – 13** Colour:

Black



- Convenient and quick release side zip for easy donning and doffing.
- Dual density polyurethane (PU) sole.
- Padded ankle collar for comfort and support, and to prevent chafing.
- Recommended for: Construction, Mining, Manufacturing, General Industry, Utilities, Transportation & Logistics.
- Also available: Without steel midsole with style KWD206X

#### KWD205-S1P

#### Rigger Safety Boot

**3 – 13** Colour:

Black Brown



- Side pull-up straps for easy donning and doffing even with hand glove on.
- Lining out-fold to reduce abrasion when it contacts to skin.
- Dual density polyurethane (PU) sole.
- Recommended for: Construction, Mining, Manufacturing, Heavy & Light Industries, Utilities, Oil & Gas.
- Also available: Without steel midsole with style KWD205X (Black) and KWD205CX (Brown).


### KING'S EURORANGE™

#### **KWD250B-S3**

Half-mid-cut lace safety boot

Size UK: 3-13 | EU: 36-48 Colour:






- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Highly breathable 3-D lining reduces skin abrasion and draws moisture from the foot.
- Recommended for: Manufacturing, General Industry, Utilities.

#### 15580-BLK-S1

Safety boot with elastic sided

Size UK: 5-13 | EU: 38-48 Colour:

#### Black



- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Highly breathable 3-D lining reduces skin abrasion and draws moisture from the foot.
- Half sizes: from 6.5 (40) to 10.5 (45.5)
- · Recommended for: Manufacturing, General Industry, Utilities.

#### 15534Z-BLK-S1


#### Mid-cut lace safety boot

Size UK: 5-13 | EU: 38-48

Colour: Black

### With side zipper





• Wide profile steel toecap for greater comfort.

- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Highly breathable 3-D lining reduces skin abrasion and draws moisture from the foot.
- Half sizes: from 6.5 (40) to 10.5 (45.5)
- · Recommended for: Manufacturing, General Industry, Utilities.

#### KWD202B-S3

#### Low-cut lace safety shoe

UK: 3-13 | EU: 36-48 Colour:

Black



With side zipper

- Water resistant leather low-cut lace up metal free safety shoe.
- Wide profile composite toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Non-metal puncture resistant material
- · Recommended for: Manufacturing, General Industry, Utilities.

#### 15532Z-WHT-S1

### With side zipper

#### Mid-cut lace safety boot

Size UK: 5-13 | EU: 38-48 Colour:

- Leather safety boot mid-cut lace up with side-zip.
- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Highly breathable 3-D lining reduces skin abrasion and draws moisture from the foot.
- Half sizes: from 6.5 (40) to 10.5 (45.5)
- Recommended for: Manufacturing, General Industry, Utilities.

#### KWD302B-S3

#### Mid-cut lace safety boot

Size UK: 3-13 | EU: 36-48 Colour:

#### Black

- Water resistant leather mid-cut lace up metal free safety boot.
- Wide profile composite toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Non-metal puncture resistant material
- Recommended for: Manufacturing, General Industry, Utilities.





### KING'S EURORANGE™

#### KWS201S-S1P

Leather sandal

Size UK: 3-13 | EU: 36-48 Colour:



- Leather sandal.
- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Single density polyurethane (PU) sole.
- Recommended for: Manufacturing, General Industry, Utilities.

#### **KWD200B-S3**

Low-cut lace safety shoe

Size UK: 3-13 | EU: 36-48 Colour:



- Water resistant leather low-cut lace up safety shoe.
- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- · Recommended for: Manufacturing, General Industry,

#### KWS201B-S1

Low-cut lace safety shoe

Size

UK: 3-13 | EU: 36-48

Colour:

Black



- Perforated leather low-cut lace up safety shoe.
- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing. Single density polyurethane (PU) sole.
- Recommended for: Manufacturing, General Industry, Utilities.

#### KWD301B-S3

Mid-cut lace safety shoe

Size

UK: 3-13 | EU: 36-48

Colour:

Black



- Water resistant leather mid-cut lace up safety boot.
- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Dual density polyurethane (PU) sole.
- Recommended for: Manufacturing, General Industry, Utilities.

#### **KWS201G-S1P**

Low-cut lace safety shoe

Size UK: 3-13 | EU: 36-48 Colour:



- Perforated leather low-cut lace up safety shoe.
- Wide profile steel toecap for greater comfort.
- Padded ankle collar for superior ankle comfort and support and to prevent chafing.
- Single density polyurethane (PU) sole.
- Recommended for: Manufacturing, General Industry, Utilities.

## **MODELS AND SPECIFICATIONS**

SANDALS AND PERFORATED SHOE					
MODEL #	STEEL MIDSOLE	COLOR	SOLE		
KWS201S	Yes	Black	Single Density		
KWS201B	No	Black	Single Density		
KWS201G	Yes	Gray	Single Density		
LOW-CUT LACE SAFETY SHOE					
MODEL #	STEEL MIDSOLE	COLOR	SOLE		
KWS200	Yes	Black	Single Density		
KWS200X	No	Black	Single Density		
KWD202B	Yes - non metalic	Black	Dual Density		
KWD200B	Yes	Black	Dual Density		
SLIP-ON SAFETY SHOE					
MODEL #	STEEL MIDSOLE	COLOR	SOLE		
KWD207	Yes	Black	Dual Density		
KWD207X	No	Black	Dual Density		
HALF-MID-CUT LACE SAFETY BOOT					
MODEL #	STEEL MIDSOLE	COLOR	SOLE		
KWD250B-S3	Yes	Black	Dual Density		
MID-CUT LACE SAFETY BOOT					
MODEL #	STEEL MIDSOLE	COLOR	SOLE		
KWD301	Yes	Black	Dual Density		
KWD301K	Yes	Brown	Dual Density		
KWD301X	No	Black	Dual Density		
KWD301B	yes	Black	Dual Density		
KWD302B	Yes - non metalic	Black	Dual Density		

CHELSEA SAFETY SHOE				
MODEL #	STEEL MIDSOLE	COLOR	SOLE	
KWD106	Yes	Black	Dual Density	
KWD106X	No	Black	Dual Density	
15580-BLK	No	Black	Dual Density	
ZIPPER SAFETY BOOT				
MODEL #	STEEL MIDSOLE	COLOR	SOLE	
KWD206	Yes	Black	Dual Density	
KWD206X	No	Black	Dual Density	
15534Z-BLK	No	Black	Dual Density	
15532Z-WHT	No	Wheat	Dual Density	
RIGGER SAFETY BOOT				
MODEL #	STEEL MIDSOLE	COLOR	SOLE	
KWD205	Yes	Black	Dual Density	
KWD205C	Yes	Brown	Dual Density	
KWD205CX	No	Brown	Dual Density	
KWD205X	No	Black	Dual Density	



- Wash insole regularly for a clean and healthy foot.
- Dry and remove excess dirt with an old toothbrush regularly to maintain fluid evacuation and slip resistance properties.
- Remove any marks using a damp cloth and soap if necessary and polish any grain or pigmented leathers using a commercially available shoe care product.
- Store shoes in dry aired area after use. Keep in an area that is not subject to rapid changes in temperature and humidity levels.
- Do not soak the shoes in water or use a washing machine, dry clean or bleach.







King's by Honeywell Honeywell Safety & Productivity Solutions Level 25, UOA Corporate Tower Lobby B 59200 Bangsar South City

Malaysia : +603 2777 3948/ 39<u>5</u>0 Singapore : +65 6714 6800 Vietnam : +8428 5411 2260

 Honeywell Safety and Productivity Solution P.O.Box 232362, Emaar Business Park, Building 2 Dubai, U.A.E.

Tel: +971 4 450 5800

Email: SPS\_META@honeywell.com







