

THERE'S NO LIMIT TO OUR FOCUS ON SAFETY

Personal Fall Limiter
Equipment From Honeywell



Honeywell

MILLER

Honeywell

LACK OF FALL SAFETY SHOULD NOT LIMIT A LIFE

Since 2021, more than 800 deaths have been recorded each year as a result of a fall on the job. In 2022, work-related fatalities due to falls, slips and trips increased 1.8%, resulting in 865 fatalities, up from 850 in 2021. This does not include the hundreds and thousands of injuries due to falls that lead to disabilities or unnecessary pain and suffering. In 2022, falls were the third-leading cause of nonfatal injuries requiring days away from work, with 337,050 reported.¹ No job should lead to a loss of life or a livelihood.

At Honeywell, we've made it our business for 80 years to develop best-in-class fall safety equipment and systems to protect workers. In fact, we developed the first fall safety limiter, and we've been setting the industry standard ever since.





CLASS 1

Anchor point AT or ABOVE the dorsal D-ring **without** edge contact

Non-leading Edge ANSI SRD Class 1/CSA SRD Class SRL



CLASS 2

Anchor point AT or ABOVE the dorsal D-ring **with** edge contact

Leading Edge, ANSI SRD Class 2/CSA SRD Class SRL-LE



Anchor point BELOW the dorsal D-ring

Leading Edge, ANSI SRD Class 2/CSA Class SRL-LE

THE RIGHT EQUIPMENT MAKES ALL THE DIFFERENCE

Whether you're in oil and mining, construction, manufacturing, utilities or public works, one priority to ensure the protection of your workforce is to have the right equipment for the job at hand. This means determining whether you need non-leading edge or leading edge personal fall limiter (PFL).

When you need to give valuable workers the confidence to do their work safely and securely, we've got you covered with non-leading edge or leading edge protection.

WE'VE TESTED THE LIMITS AND IT SHOWS IN OUR SOLUTIONS

Our TurboLite+ line of personal fall limiter protection offers unparalleled design and safety features that can only come from our expertise. We also understand that when it comes to fall prevention and protection, you have to find the right balance between comfort and safety. Uncomfortable workers can become distracted, and distraction is a major contributor to safety incidents. TurboLite+ solutions bring comfort into the safety equation by incorporating ergonomic, lightweight designs, combined with advanced closures and locking mechanisms that undergo a series of intense quality control and performance audits.

Our TurboLite+ PFLs have been purposefully designed to give you and your workers peace of mind that they will be protected.

PROTECTING WHAT MATTERS

When it comes to safety, the return on your investment could be a life. And when it comes to safety equipment, you really do get what you pay for. Safety is not a place to cut corners. And just as all companies are not equal; not all safety equipment is equal. Shouldn't your investment in PPE, like PFLs, reflect how much you value your employees? There's PPE. Then there's Honeywell PPE. Elevating the science of safety.



NON-LEADING EDGE FALL PROTECTION EQUIPMENT



TURBOLITE+

This personal fall limiter is well suited for workers who value mobility on the jobsite and need to reduce fall clearance requirements. Its increased weight rating, variety of lengths and durability only begin to explain the protection it provides.

- Meets requirements of OSHA and Certified ANSI Z359.14-2021 SRD Class 1 and CSA Z259.2.2-2017 SRD Class SRL
- Rated to provide protection as per OSHA for up to a 420lb (190.5kg worker)
- More than 35 options of single-leg or twin (dual-leg) configurations available, including 6-foot and 11-foot lengths
- Unit *and* lifeline connections available with lightweight aluminum to help reduce weight
- Lifeline twisting is reduced during use with an integral swivel
- Redesigned labels have enhanced graphics, icons and colors



TURBOLITE+ SCORPION

Wear this personal fall limiter when working at height to help protect from dangerous slips, trips and falls.

- Meets requirements of OSHA and Certified ANSI Z359.14-2021 SRD Class 1 and CSA Z259.2.2-2017 SRD Class SRL
- Rated to provide protection as per OSHA for up to a 420lb (190.5kg worker)
- More than 25 options of single-leg or twin (dual-leg) configurations available, including 7-, 8- and 9-foot lengths
- Unit *and* lifeline connections available with lightweight aluminum to help reduce weight
- Lifeline twisting is reduced during use with an integral swivel
- Redesigned labels have enhanced graphics, icons and colors

LEADING EDGE FALL PROTECTION EQUIPMENT



TURBOLITE+ EDGE

This personal fall limiter is part of the PLUS family of redesigned solutions to help meet all new standards. The TurboLite+ Edge helps ensure workers are safe in applications requiring foot-level tie off or when they work near edges.

- Meets requirements of OSHA and Certified ANSI Z359.14-2021 SRD Class 2 and CSA Z259.2.2-2017 SRD Class SRL-LE (6 feet only)
- Rated to provide protection as per OSHA for up to a 420lb (190.5kg) worker
- Compact, lightweight and configurable with a wide range of working lengths – 6 or 9 feet
- Integral swivel design increases worker mobility and prevents the lifeline from twisting

-
1. National Safety Council Injury Facts.
"Top Work-related Injury Causes."
Accessed 11 April 2024. <https://injuryfacts.nsc.org/work/work-overview/top-work-related-injury-causes/data-details/>.

For more information

automation.honeywell.com

**For Information on
Innovations and Patents**

hmpats.com

Honeywell PPE

855 S. Mint St.
Charlotte, NC 28202

www.honeywell.com

© 2024 Honeywell International Inc.

Honeywell